

Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier 600061

· Trade name: Special Industrial Cleaner E-COLL

· Article number: 4317784464857

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- · Further information obtainable from: Product safety department
- · 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008




GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 1)



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

#### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

## · Hazard pictograms









GHS02 GHS07 GHS08 GHS09

### · Signal word Danger

## $\cdot \ \ \text{Hazard-determining components of labelling:}$

hydrocarbons, C6-C7, n-alkanes, propan-2-ol

## · Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H411 Toxic to aquatic life with long lasting effects.

### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P331 Do NOT induce vomiting.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 3)



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 2)

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

#### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

· **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
EC number: 921-024-6	hydrocarbons, C6-C7, n-alkanes,	50-100%
Reg.nr.: 01-2119475514-35-xxxx	♦ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 67-63-0	propan-2-ol	2.5-10%
EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	

### · Regulation (EC) No 648/2004 on detergents / Labelling for contents

30 % and more aliphatic hydrocarbons

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

### · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

## · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

## · After swallowing:

Do not induce vomiting; call for medical help immediately.

Administer medicinal carbon.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 4)



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 3)

## $\cdot$ 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### · 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

### **SECTION 5: Firefighting measures**

## · 5.1 Extinguishing media

#### · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

#### · Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device. Wear fully protective suit.

### · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Keep away from ignition sources.

#### · 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Prevent seepage into sewage system, workpits and cellars.

## · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

## · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 4)

### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Prevent formation of aerosols.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Protect from heat.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Provide floor trough without outlet.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 5)

Avoid contact with the skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter A/P2

#### · Protection of hands:

Solvent resistant gloves



Protective gloves

### · Material of gloves

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

## **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Fluid
Colour: Colourless

Odour: Petrol-like

Odour threshold: Not determined.

· **pH-value**: Not determined.

· Change in condition

**Melting point/freezing point:** Undetermined. **Initial boiling point and boiling range:** > 80 °C

· Flash point: < -10 °C

(Contd. on page 7)



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 6)

· Flammability (solid, gas): Not applicable.

· Ignition temperature: 275 °C

· Decomposition temperature: Not determined.

• Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product is not explosive. However, formation of explosive air/

vapour mixtures are possible.

· Explosion limits:

**Lower:** 0.6 Vol % **Upper:** 12.0 Vol %

· Vapour pressure at 20 °C: 85 hPa

• Density at 20 °C: 0.73 g/cm<sup>3</sup>

· Relative density Not determined.

Vapour densityEvaporation rateNot determined.Not determined.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined. Organic solvents: 100.0 %

• 9.2 Other information No further relevant information available.

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 8)



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 7)

· 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

l	CAS: 67-63-0 propan-2-ol		
Ī	Oral	LD50	5,045 mg/kg (rat)
	Dermal	LD50	12,800 mg/kg (rabbit)
			30 ppm (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard

May be fatal if swallowed and enters airways.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 8)

- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

### **SECTION 13: Disposal considerations**

## · 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European waste catalogue

07 06 04\* other organic solvents, washing liquids and mother liquors

### **SECTION 14: Transport information**

· 14.1 UN-Number

· ADR, IMDG, IATA UN1993

· 14.2 UN proper shipping name

· **ADR** UN1993 FLAMMABLE LIQUID, N.O.S. (Naphtha

(petroleum), hydrotreated light (Benzene < 0.1%), ISOPROPANOL (ISOPROPYL ALCOHOL)),

ENVIRONMENTALLY HAZARDOUS

· IMDG FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum),

hydrotreated light (Benzene < 0.1%), ISOPROPANOL (ISOPROPYL ALCOHOL)), MARINE POLLUTANT

• IATA FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum),

hydrotreated light (Benzene < 0.1%), ISOPROPANOL

(ISOPROPYL ALCOHOL))

(Contd. on page 10)



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 9)

- · 14.3 Transport hazard class(es)
- · ADR, IMDG





· Class 3 Flammable liquids.

· Label 3

·IATA



· Class 3 Flammable liquids.

· Label 3

· 14.4 Packing group

· ADR, IMDG, IATA

• 14.5 Environmental hazards: Product contains environmentally hazardous

substances: Naphtha (petroleum), hydrotreated light

(Benzene < 0.1%)

· Marine pollutant: Yes

Symbol (fish and tree)

Special marking (ADR): Symbol (fish and tree)

• 14.6 Special precautions for user Warning: Flammable liquids.

Danger code (Kemler): 33EMS Number: F-E,S-E

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

· Transport/Additional information:

· ADR

Limited quantities (LQ)
 Transport category
 Tunnel restriction code

• **UN** "Model Regulation": UN1993, FLAMMABLE LIQUID, N.O.S. (Naphtha

(petroleum), hydrotreated light (Benzene < 0.1%), ISOPROPANOL (ISOPROPYL ALCOHOL)), ENVIRONMENTALLY HAZARDOUS, 3, II

## **SECTION 15: Regulatory information**

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3



Printing date 08.11.2018 Version number 302 Revision: 08.11.2018

Trade name: Special Industrial Cleaner E-COLL

(Contd. of page 10)

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: Product safety department
- · Contact: Head of Product Safety Department

### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2