

# SAFETY DATA SHEET

Date of Issue: March 1, 2012  
SDS No.: RI-074  
Version: 003



## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY

This product is a writing instrument to be recognized as Article.

### 1.1. Identification of the substance or preparation

Product name : CD/DVD MARKER

Product code : SCA-TMCD-B/R/L/G

Preparation name : SCA-CD-B/L/G, SC-EU-R(C)

### 1.2. Use of the preparation : Ink for writing instrument

### 1.3. Company identification e-mail address

Name of manufacture / supplier : PILOT CORPORATION OF EUROPE

Address : PAE de la Caille 74350 ALLONZIER-LA-CAILLE (France)

Telephone number : +33 (0)4 50 08 33 00  
Working hours (from 8.30am to 12.30pm and from 01.30pm to 05.30pm  
:04.00pm on Friday-French time)

Facsimile number : +33 (0)4 50 46 43 59

e-mail address : pilotfrance@piloteurope.com

### 1.4. Emergency telephone number : +33 (0)1 45 42 59 59

Association /Organization :ORFILA /INRS <http://www.centres-antipoison.net>

## 2. HAZARDS IDENTIFICATION

Based on the law and regulation in Japan

Physical /Chemical hazards : Flammable liquid

Environmental hazards : Not applicable

Effect of exposure : Not applicable

### Symptom of exposure

Inhalation : Intentional exposure to ink vapors may cause respiratory irritation.

Ingestion : May cause upset stomach.

Skin contact : Ink contact with skin may cause irritation, swelling, or redness.  
It is not expected to cause an allergic skin reaction.

Eye contact : Ink contact with eye may be mildly irritating.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Based on the law and regulation in Japan

For ink unless otherwise specified

Ingredients	CAS No.	EINECS Number	Weight %	Component
Ethanol	64-17-5	200-578-6	20~60	All colors
1-Methoxypropan-2-ol	107-98-2	203-539-1	30~70	Black,Red,Blue
3-Methoxy-3-methylbutane-2-ol	56539-66-3	260-252-4	1~10	Red
1-Ethoxypropan-2-ol	2569-02-4	216-374-5	10~30	Green
Copper compound	Non public	Non public	1~6	Blue,Green
Chromium(III) compound	Non Public	Non Public	10~15	Black

### 4. FIRST AID MEASURES

- Inhalation : Remove subject to ventilated fresh air. Consult physician if necessary.
- Ingestion : Refer for medical attention.
- Skin contact : Wash the affected area under tepid running water using a mild soap.  
And refer for medical attention if irritation continues.
- Eye contact : Gently rinse the affected eyes with clean water for at least 15 minutes.  
And refer for medical attention if irritation continues.
- First aid facilities : Ensure eyewash and water service are available.
- Medical attention
- Local contamination  
: In case of skin or eye contamination treat as under First Aid Measures.
- Systemic poisoning  
: There is no specific antidote. Treat symptoms.

### 5. FIRE-FIGHTING MEASURES

- 5.1. Suitable extinguishing media : In case of fire, use water spray, foam, dry chemical powder or carbon dioxide.
- 5.2. Extinguishing media which shall not be used for safety : None
- 5.3. Special exposure hazards arising from the substance or preparation itself, combustion products : CO<sub>2</sub>, CO, NO<sub>x</sub>, and SO<sub>x</sub>, are produced after combustion.
- 5.4. Special protective equipment for fire-fighters. : Not required
- 5.5. Additional information : None

### 6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions : Use proper ventilation. Use eye and skin protection.
- 6.2. Environmental precautions : Do not dispose of waste to the sewer.
- 6.3. Methods for cleaning up : Absorb spill with material (cloth or paper), then place in a chemical waste containers.
- 6.4. Additional information : None

---

## 7. HANDLING AND STORAGE

---

- 7.1. Handling : Avoid rough handling or dropping.
- 7.1.1. Protective measures : Not required in normal use.
- 7.1.2. Measures to prevent aerosol and dust generation : Not required in normal use.
- 7.1.3. Measures required to protect the environment : Not required in normal use.
- 7.1.4. Specific requirements or handling rules : None
- 7.1.5. Precautions against fire and explosion : Not required in normal use.
- 7.2. Storage : Store in a dry, cool, well-ventilated location , away from possible all source of ignition.
- 7.3. Specific use(s) : Not use it except the ink for writing instruments.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

---

- 8.1. Exposure limit values : Not available
- 8.1.1. Occupational exposure controls : Not available
- 8.1.2. Biological limit values : Not available
- 8.1.3. DNEL and PNEC-value(s) as applicable : No data
- 8.2. Exposure controls
- 8.2.1. Occupational exposure controls
- a) Respiratory protection : Not required in normal use.
- b) Hand protection : Not required in normal use.
- c) Eye protection : Not required in normal use.
- d) Skin protection : Not required in normal use.
- 8.2.2. Environmental exposure controls
- : ACGIH TLV-TWA
- |                        |                        |
|------------------------|------------------------|
| Ethanol                | : 1000ppm              |
| 1-Methoxypropan-2-ol   | : 100ppm               |
| Chromium(III) compound | : 0.5mg/m <sup>3</sup> |

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

For ink unless otherwise specified

### 9.1. General information

- Appearance : Liquid  
[Color] Black, Red, Blue, Green
- Odor : Organic solvent odor(Black,Blue)  
: Alcohol odor (Red,Green)

### 9.2. Important health, safety and environmental information

- pH : Not applicable
- Boiling point / boiling range : 78.3 degrees Celsius (Ethanol)  
: 120 degrees Celsius (1-Methoxypropan-2-ol)  
: 132 degrees Celsius (1-Ethoxypropan-2-ol)
- Flash point : 13 degrees Celsius (Ethanol)  
: 33.2 degrees Celsius (1-Methoxypropan-2-ol)  
: 35 degrees Celsius (1-Ethoxypropan-2-ol)
- Flammability (solid, gas) : Flammable

Explosive properties	: LEL 3.3 vol%, UEL 19.0 vol% (Ethanol) : LEL 1.9 vol%, UEL 13.1 vol% (1-Methoxypropan-2-ol) : LEL 1.3 vol%, UEL 12.0 vol% (1-Ethoxypropan-2-ol)
Oxidizing properties	: None
Vapor pressure	: 5.88kPa(at 20 degrees Celsius, Ethanol) : 1.2kPa(at 20 degrees Celsius, 1-Methoxypropan-2-ol) : 1.33kPa(at 20 degrees Celsius, 1-Methoxypropan-2-ol)
Relative density	: 0.860-0.970 (at 20 degrees Celsius)
Solubility	: Not applicable
Water solubility	: Insoluble
Partition coefficient: n-octanol / water	: -0.3 (lowPow, Ethanol)
Viscosity	: 2.5-4.5 mPa · s (at 20 degrees Celsius)
Vapor density	: 1.59 (at 20 degree Celsius, Ethanol)
Evaporation rate	: No data

9.3. Other information : None

---

## 10. STABILITY AND REACTIVITY

---

10.1. Conditions to avoid	: Fire or intense heat may cause violent rupture of packages. : Take precautionary measures against static discharges.
10.2. Materials to avoid	: Strong oxidizing agents and reducing agents.
10.3. Hazardous decomposition products	: Heating can release vapours which can be ignited. : Burning produces obnoxious and toxic fumes, carbon oxides.

---

## 11. TOXICOLOGICAL INFORMATION

---

For ink unless otherwise specified

11.1. Toxicokinetics, metabolism and distribution	: No data
11.2. Acute effects (acute toxicity, irritation and corrosivity)	:
: Acute toxicity	Ethanol : LD <sub>50</sub> 7,060mg/kg (rat oral) : LD <sub>50</sub> 1,400mg/kg (human oral)
	1-Methoxypropan-2-ol : LD <sub>50</sub> 6,600mg/kg (rat oral) : LD <sub>50</sub> 13,000mg/kg (rabbit skin)
	3-Methoxy-3-methylbutane-1-ol : LD <sub>50</sub> 4.30g/kg (rat oral) : LD <sub>50</sub> 5.87g/kg (mouse oral)
	Copper compound : LD <sub>50</sub> 525mg/kg over (rat oral)
: Irritation	Ethanol : 400mg open ; MILD (rabbit skin) : 100mg/24h ; MILD (rabbit eye)
	1-Methoxypropan-2-ol : 500mg/hr ; Slight (rabbit skin) : 500mg/24hr ; Slight (rabbit eye)
11.3. Sensitization	: No data
11.4. Repeated dose toxicity	: No data
11.5. CMR (carcinogenity, mutagenicity, and toxicity for reproduction)	: No data

---

**12. ECOLOGICAL INFORMATION**

---

12.1. Ecotoxicity	: No data
12.2. Mobility	: No data
12.3. Persistence and degradability	: No data
12.4. Bioaccumulative potential	: No data
12.5. Results of PBT assessment	: No data
12.6. Other adverse effects	: None

---

**13. DISPOSAL CONSIDERATIONS**

---

· Follow all regulations in your country.

---

**14. TRANSPORT INFORMATION**

---

14.1. UN number	: 1993
14.2. Class	: 3
14.3. Proper shipping name	: Flammable Liquid N.O.S. (Ethanol, Red/Green) Flammable Liquid N.O.S. (1-Methoxy propan-2-ol Black, Blue)
14.4. Packing group	: II (Red/Green), III (Black/Blue)
14.5. Marine pollutant	: Not Marine Pollutant
14.6. Other applicable information	: None

---

**15. REGULATORY INFORMATION**

---

· Follow all regulations in your country.

---

**16. OTHER INFORMATION**

---

The information here is given in good faith, but no warranty, express or implied, is made.  
Final determination of suitability of any material is the sole responsibility of the user.

End of SDS